
## Product data sheet





Random Orbit Sander

GEX 40-150



The high-performance 150mm random orbit sander for professional finishes

#### The most important data

Rated input power	400 W
Sanding pad diameter	150 mm
Orbit diameter	4 mm

**Order number** 0 601 37B 240

#### > More product information

## Technical data

#### Technical data

Sanding pad diameter	150 mm	
No-load speed	5,500 – 12,000 rpm	
Orbital stroke rate	11,000 - 24,000 opm	
Eccentricity	2 mm	
Sanding sheet / disc attachment	Hook-and-loop fastening	
Rated input power	400 W	
Weight	2.4 kg	
Tool dimensions (width)	148 mm	
Tool dimensions (length)	409 mm	
Tool dimensions (height)	197 mm	
Orbit diameter	4 mm	
Packaging dimensions (width x length x height)	235 x 360 x 170 mm	
Voltage, electrical	230 V	
'Total vibration values (Sanding solid wood)'		

#### Total vibration values (Sanding solid wood)

Vibration emission value ah	2.5 null
Uncertainty K	1.5 null

## Noise/vibration information

### Sanding solid wood

Vibration emission value ah	2.5 m/s <sup>2</sup>
Uncertainty K	1.5 m/s <sup>2</sup>

# Invented for life

## Product data sheet

## Power tools for trade & industry

## Advantages:

- Housing with a decoupled sanding unit for consistent contact pressure, enabling high-quality surface results
- Unique vibration damping produces very low vibrations for continuous work
- Multi-hole sanding pad for sanding sheets with different hole pattern and for significantly increased dust extraction

















