

# Technical data sheet

1707 siapar



Status:	Ok
Approval:	19.05.2022

<b>Classification</b>	Public series
Product type:	Coated abrasives
Main industries:	Furniture Production Building Interior
Further industries:	Stone

<b>Product profile</b>		
Grit type:	Silicon carbide	
Grit range (total):	16; 24; 36	FEPA P / ISO 6344
Backing:	Y-wt cloth, cotton	P016 – P036
Coating:	Mechanical closed	P016 – P036
Bonding:	Resin over resin	
Special coating:		
Equipment:		

<b>Properties</b>		<b>Technology</b>
Removal rate:	8 - high	- siafast
Lifetime:	8 - long	
Finishing:	3 - sufficient	
Flexibility:	4 - rigid	
Contact pressure:		

<b>Advantages</b>	
Building Interior:	<ul style="list-style-type: none"><li>- Ideal for rotary sanding</li><li>- Fast and safe change of abrasive with siafast hook and loop fastening system</li><li>- Very high performance and long life in heavy-duty applications</li></ul>
Furniture Production:	<ul style="list-style-type: none"><li>- Ideal for rotary sanding</li><li>- Fast and safe change of abrasive with siafast hook and loop fastening system</li><li>- Very high performance and long life in heavy-duty applications</li></ul>

<b>Applications</b>	
Building Interior:	<ul style="list-style-type: none"><li>- Keying or sanding surfaces</li><li>- Fine sanding of surfaces</li></ul>
Furniture Production:	<ul style="list-style-type: none"><li>- Sanding of plaster, stone and concrete</li><li>- Sanding of paints, old lacquer and floor sealing</li><li>- Keying of solid wood</li><li>- Roughing insulating boards</li></ul>

# Technical data sheet

1707 siapar



Material		
Building Interior:	Concrete Old lacquer Old paint Wood Wood	<input type="radio"/> Plastics <input type="radio"/> Concrete <input checked="" type="radio"/> Old lacquer <input checked="" type="radio"/> Old paint <input checked="" type="radio"/> Soft wood <input checked="" type="radio"/> Hard wood
Furniture Production:	Coatings Coatings Minerals Plastics Solid wood Solid wood	<input checked="" type="radio"/> Old lacquer <input checked="" type="radio"/> Old paint <input type="radio"/> Concrete <input type="radio"/> Plastics <input checked="" type="radio"/> Soft wood <input checked="" type="radio"/> Hard wood

Conversion forms	Upper conversion	Lower conversion
	Rolls	- Cloth rolls - Jumbolino - Paper rolls - Economy rolls
	Strips	- siafast strips - Various strips
	Delta and polygons	- Delta and polygons
	Discs	- Double-sided discs - siafast discs - Various discs
	Belts	- Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

Application	Superordinate group	Subgroup
	Portable machine sanding	Angle grinder
	Portable machine sanding	random orbital sander
	Portable machine sanding	Delta sander
	Manual sanding	Hand sanding with sanding block
Cut:		

Details	
No suitability for:	- Metal grinding
Sanding recommendation:	

<b>Details</b>	
Safety recommendation:	<p>Observe the current valid safety recommendations at: <a href="http://www.sia-abrasives.com">www.sia-abrasives.com</a> &gt; Expertise &gt; Safety</p> <ul style="list-style-type: none"> <li>- Pay attention to the abrasives safety data sheet (available from sia Abrasives)</li> <li>- Follow the general FEPA safety recommendations</li> <li>- Use eye and face protection</li> <li>- Use an effective dust extraction unit or wear a fine dust mask</li> </ul>

<b>Communication</b>			
Claim:	For maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paints		
Copy:	When it comes to removing plasterboard, stone, concrete, old paints and underseal from wood, 1707 siapar has what it takes: high performance and long life in heavy-duty applications.		
Image material:	Product Top View (PTV)	Front side: ID	Rear side: ID
	Application image	Building Interior: ID 275	Furniture ID 275
	Production:		
	Product show:		
	Macro shot:		
	Packaging image:		
Product group image:		ID 1632	

- Main application
- Secondary application