SECTION 1 – IDENTIFICATION: PRODUCT IDENTIFIER / CHEMICAL IDENTITY

1.1 PRODUCT IDENTIFIER: Bona R820

1.2 PRODUCT CODE: Not applicable.

1.3 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST:

RELEVANT IDENTIFIED USES:	Adhesive.
RESTRICTIONS ON USE:	None known.

1.4 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER NAME: ADDRESS:	Bona Australia Pty Ltd (ABN: 2208 758 1520), Unit 9, Wareca Business Park 1866 Princes Highway, Clayton, Victoria, 3168
E-MAIL: TELEPHONE NUMBER:	<u>info@bona.net.au</u> 03 9543 4399
1.5 EMERGENCY TEL. NUMBER:	03 9543 4399 Business Hours. (0408 008 762 After Hours or National Chemical Emergency Centre Europe 18000 74234.)

SECTION 2 – HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE HAZARDOUS CHEMICAL:

GHS CLASSIFICATION HAZARD CLASS & CATEGORY:

Under the Model Work Health and Safety Regulations, the product would not be classified as hazardous.

2.2 LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS:

SIGNAL WORD:	Not Applicable.
PICTOGRAMS:	Not Applicable.
HAZARD STATEMENTS:	Not Applicable.

PRECAUTIONARY STATEMENTS: PREVENTION: RESPONSE: STORAGE: DISPOSAL:

2.3 OTHER HAZARDS: The mixture has a low order of toxicity associated with it. May cause mild gastric irritation if swallowed. Excessive exposure may result in mild irritation to the skin or respiratory system as well as possible irritation to the eye. The product contains a Trimethoxyvinylsilane component. This may produce an allergic reaction. People with pre-existing skin conditions, such as eczema or dermatitis, should take precautions so as not to exacerbate the condition. Small amounts of methanol will be generated during the curing process. As for all chemical products, persons should not expose open wounds, cuts, abrasions or irritated skin to this material.

Not Applicable.

Not Applicable.

Not Applicable.

Not Applicable.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NUMBER	Concentration % W/W	GHS Classification*
Silane, ethenyltrimethoxy- (Trimethoxyvinylsilane)	2768-02-7	< 1%	Flam Liq 2 - H226 Skin Sen 1 - H317 Acut Tox 4 - H332
Other non-hazardous ingredients * Please see Section 15 of this SDS for the	- full text description of th	To 100% e Label Elements.	Not Applicable

SECTION 4 – FIRST AID MEASURES

4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES:

INGESTION:	Rinse mouth out with water. If swallowed, according to the manufacturer, do NOT induce vomiting. For advice, contact the Poisons Information Centre (phone Australia 131 126; New Zealand 0800 764 766) or a doctor. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. If irritation develops or persists or vomiting has occurred after ingestion, seek medical assistance.
EYE:	If in eyes, hold eyelids apart and flush the eye immediately with large amounts

- EYE: If in eyes, hold eyelids apart and flush the eye immediately with large amounts of running water. Check for contact lenses. If there are contact lenses, these should be removed after several minutes of rinsing by the exposed person or medical personnel if it can be done easily. After flushing, if irritation develops or persists, seek medical assistance.
- **SKIN CONTACT:** If skin or hair contact has occurred remove any contaminated clothing and footwear, wash skin or hair thoroughly with soap and water. Do NOT use solvents and/or thinners. If irritation or rash develops or persists, consult a doctor.
- **INHALATION:** If a person is affected by inhaling the product, remove the patient from further exposure into fresh air, if safe to do so. If providing assistance, avoid exposure to yourself only enter contaminated environments with adequate respiratory equipment. Once removed, lay patient down in a well-ventilated area and reassure them whilst waiting for medical assistance. If not breathing, provide artificial respiration and seek immediate medical assistance. If unconscious, place in a recovery position and seek immediate medical assistance.

PROTECTION FOR FIRST AIDERS:

No personnel shall place themselves in a situation that is potentially hazardous to themselves. As the product is an adhesive, if the person has ingested the product, do not use direct mouth-to-mouth resuscitation techniques. Always ensure that you are wearing gloves when dealing with first aid procedures involving chemicals and/or blood.

FIRST AID FACILITIES: Eye wash fountain and safety showers are recommended in the area where the product is used. As a minimum, a source of running, potable water must be available.

4.2 MOST IMPORTANT SYMPTOMS & EFFECTS, BOTH ACUTE & DELAYED, CAUSED BY EXPOSURE:

ACUTE: Ingestion or inhalation of vapours may lead to irritation of the mouth and respiratory tract. Ingestion may lead to nausea. Eye contact may lead to localised burning, redness and tearing. Skin contact may lead to redness or itching.

SECTION 4 – FIRST AID MEASURES - Continued

CHRONIC: Repeated or prolonged skin contact may also aggravate/exacerbate existing skin conditions, such as dermatitis. The product contains Trimethoxyvinylsilane. This may produce an allergic reaction.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NECESSARY:

ADVICE TO DOCTOR: Treat symptomatically. The manufacturer recommends that if large quantities have been ingested or inhaled a Poisons Specialists should be contacted immediately as a precaution. As a precaution, if vomiting has occurred after ingestion, the patient should be monitored for adverse effects.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

SUITABLE MEDIA:	Use extinguishing media appropriate for surrounding fire. Use carbon dioxide,
	alcohol resistant foam, dry chemical or water fog. Spray down fumes resulting
	from fire.

UNSUITABLE MEDIA: Avoid using full water jet directed at residual material that may be burning. Water may cause splattering on hot residues.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

COMBUSTION HAZARDS: Combustion of the residual material after evaporation of the aqueous component may produce oxides of carbon, nitrogen and silicon, as well as small amounts of metal oxides, smoke and irritating vapours.

5.3 ADVICE FOR FIREFIGHTERS:

FIRE: This product is not flammable under conditions of use. Keep storage areas and fire exposed surfaces, etc, cool with water spray. Do not allow runoff from a fire to enter drains, sewers or waterways.

HAZCHEM CODE: Not applicable.

EXPLOSION: No information to indicate that the product is an explosion hazard. Extinguish all sources of flame or spark. Closed containers may explode when exposed to extreme heat.

PROTECTIVE EQUIPMENT:

In the event of a fire, wear full protective clothing and self-contained breathing equipment with full-face piece operated in the pressure demand or other positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PROTECTION: For spills, wear Nitrile Rubber gloves, glasses/goggles, boots and full-length clothing. During routine operation for a small spill a respirator is not required. However, if mists or vapours are generated, an approved organic vapour/particulate respirator is required. For large spills, or in confined spaces, a full chemically resistant body-suit is recommended and the atmosphere must be evaluated for oxygen deficiency. If in doubt wear self-contained breathing apparatus.

SECTION 6 – ACCIDENTAL RELEASE MEASURES - Continued

CONTROL MEASURES: Ventilate area and extinguish and/or remove all sources of ignition. Stop the leak if safe to do so. Caution: The spilled product will be slippery. Avoid contact with the spilled material.

EMERGENCY PROCEDURES: In the event of a spill or accidental release, notify the relevant authorities in accordance with all applicable regulations.

6.2 ENVIRONMENTAL PRECAUTIONS:

SPILL ADVICE: Do not allow product to enter drains, surface water, sewers or watercourses - inform local authorities if this occurs.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

- **CONTAINMENT:** Contain the spill and absorb with a proprietary absorbent material, sand or earth. Caution: The spilled product will be slippery. For large spills prepare a bund/barrier/dyke ahead of the spill to confine the spill and allow later recovery. If there is the possibility of spills to enter drains, surface water, sewers or watercourses ensure bunding, or that drains are covered, to minimise the potential for this to occur.
- **CLEANING PROCEDURES:** Having contained the spill, as mentioned above, collect all material quickly and place used absorbent in suitable containers. Caution: The spilled product will be slippery. Follow local regulations for the disposal of waste. For large spills that have been bunded, the material can be pumped into vessels and returned for reprocessing or destruction. Personnel must wear gloves, goggles or glasses, boots and full-length clothing during cleaning procedures. Wash contaminated area and objects with detergent and water after spill has been cleared. Rinse the cleaned area with water. Do not allow wash water or rinsings to enter drains, surface water, sewers or water courses.

SECTION 7 – HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

7.1 PRECAUTIONS FOR SAFE HANDLING:

SAFE HANDLING: Avoid contact with the product by using appropriate protective equipment such as gloves, glasses or goggles and full-length clothing. A full-face shield should be used if there is the potential for the product to enter the eye via processes such as mixing or splashes. Prevent small spills and leakage to avoid slip hazards. Eating, drinking, and smoking should be prohibited in the area where this material is handled, stored and processed. Workers should follow good personal hygiene practices, such as washing hands before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Always keep in containers made of the same material as the original one. Never use pressure to empty the container; the container is not a pressure vessel. Keep containers tightly closed when not in use. Prevent product from entering waterways, drains or sewers.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATABILITIES:

SAFE STORAGE: Store in a dry, well ventilated area away from direct sunlight, ignition sources, oxidising agents, strong acids and alkalis, foodstuffs, animal feeds and clothing. Keep containers closed when not in use. Always keep in containers made of the same material as the original one. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Protect the packaging from damage. When the packaged material is intact the product is deemed to be of limited hazard.

INCOMPATIBILITIES: Avoid oxidising agents, including strong acids, and strongly alkaline materials.

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 EXPOSURE CONTROL MEASURES:

EXPOSURE LIMIT VALUES:

Exposure standards for the product have not been established. The following values are applicable for the individual components:

Methyl alcohol (Methanol) (As a reaction product formed during the curing process):

- TWA: 200 ppm 262 mg/m³ STEL: 250 ppm 328 mg/m³
- 8.2 BIOLOGICAL MONITORING: No data available.
- **8.3 CONTROL BANDING:** No data available.

8.4 ENGINEERING CONTROLS:

ENGINEERING CONTROLS: Use product in a well ventilated area. Where reasonably practical this should be achieved by the use of local exhaust ventilation and good general extraction. Special ventilation is not normally required. However, in enclosed spaces or at elevated temperatures, mists or vapours may be generated and exhaust ventilation may be required to maintain airborne concentration levels below the nominated exposure standard and at an acceptable level that does not cause irritation.

8.5 INDIVIDUAL PROTECTION MEASURES:

- **EYE & FACE PROTECTION:** Wear safety glasses/goggles to avoid eye contact. If when mixing or stirring the product there is the possibility of splashing, a full-face shield is recommended. Use eye protection in accordance with AS 1336 and AS 1337.
- **SKIN (HAND) PROTECTION:** If there is the chance of skin contact with the material; wear gloves to provide hand protection. Nitrile rubber gloves are recommended.
- **SKIN (CLOTHING) PROTECTION:** During normal operating procedures, long sleeved clothing is recommended to avoid skin contact. Soiled clothing should be washed with detergent prior to re-use.
- **RESPIRATORY PROTECTION:** Use only in well-ventilated areas. During routine operation, a respirator is not required. If irritating mists or vapours are generated, an approved half face organic vapour/particulate respirator is required. Use respirators in accordance with AS 1715 and AS 1716.

THERMAL PROTECTION: Not applicable.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 PHYSICAL AND CHEMICAL PROPERTIES:

- **APPEARANCE:** ODOUR: ODOUR THRESHOLD: nH· MELTING/FREEZING POINT: INITIAL BOILING POINT: **BOILING RANGE (°C):** FLASHPOINT (°C): **EVAPORATION RATE:** FLAMMABILITY LIMITS (%): VAPOUR PRESSURE (kPa): VAPOUR DENSITY: DENSITY (g/mL @ 20°C): SOLUBILITY IN WATER(q/L): **PARTITION COEFFICIENT:** AUTO-IGNITION TEMP (°C): **DECOMPOSITION TEMP (°C):** VISCOSITY (Dynamic): VISCOSITY (cSt @ 40°C):
- Brownish viscous liquid. No data available. >100°C (Closed Cup). No data available. No data available. No data available. No data available. Typically 1.573. Partially soluble in water. No data available for n-octanol/water. No data available. No data available. Typically 94,000 mPa.s (Room Temperature). No data available.

SECTION 10 – STABILITY AND REACTIVITY

10.1 REACTIVITY: The product does not pose any further reactivity hazards other than those listed in the following sub-sections.

10.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions (see section 7).

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Keep away from oxidising agents, including strong acids and strong alkalis. Hazardous polymerisation does not occur.

10.4 CONDITIONS TO AVOID: Observe the usual precautionary measures for handling chemicals. Do not heat the container or leave the container open when not in use.

10.5 INCOMPATIBLE MATERIALS:

Avoid oxidising agents, strong acids and strong alkaline materials.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Hazardous decomposition products are not expected to form during normal storage requirements. See Section 5.2 for Hazardous Combustion products.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

The product is a mixture and has the following test data.

11.2 SWALLOWED: This product is expected to have a low order of toxicity associated with it when ingested. Ingestion may cause slight irritation to the mouth, throat and digestive tract. Ingestion of significant quantities may lead to irritation to the stomach and the person may feel nauseous. As the product is an adhesive material, aspiration into the lungs may be an issue if vomiting has occurred after ingestion or if stomach irrigation is deemed necessary. If the product is ingested and the person has vomited, they should be observed to ensure there is no aspiration into the lungs. During normal usage, ingestion should not be a means of exposure.

SECTION 11 – TOXICOLOGICAL INFORMATION - Continued

11.3 SKIN CORROSION / IRRITATION:

This product is not expected to exhibit Dermal Corrosivity/Irritation, based on the available data and the known hazards of the components. May be mildly irritating to the skin. As the product is an adhesive, it may have a degreasing effect on the skin. Prolonged or repeated skin contact may lead to dryness and cracking. Correct handling procedures incorporating appropriate protective clothing and gloves should minimise the risk of skin irritation. People with preexisting skin conditions, such as dermatitis, should take extreme care so as not to exacerbate the condition. According to the Manufacturer, Trimethoxyvinylsilane in rabbit studies is a mild irritant.

11.4 SERIOUS EYE DAMAGE / IRRITATION:

This product is not expected to exhibit Eye Irritation or Serious Damage/ Corrosivity, based on the available data and the known hazards of the components according to the manufacturer. May be mildly irritating to the eyes. Symptoms may include localised burning, redness and tearing. Correct handling procedures incorporating appropriate eye protection should minimise the risk of eye irritation. According to the Manufacturer, Trimethoxyvinylsilane in rabbit studies is a mild irritant.

11.5 RESPIRATORY OR SKIN SENSITISATION:

This product is not expected to be a skin sensitiser, based on the available data and the known hazards of the components. However, it contains Trimethoxyvinylsilane that is rated as May cause an allergic skin reaction, however this is present at <1% in the final product. This product is not expected to be a respiratory tract sensitiser, based on the available data and the known hazards of the components.

11.6 GERM CELL MUTAGENICITY:

This product is not expected to be mutagenic based on the available data and the known hazards of the components.

11.7 CARCINOGENICITY: This product is not expected to be carcinogenic based on the available data and the known hazards of the components.

11.8 REPRODUCTIVE TOXICITY:

This product is not expected to be a reproductive hazard based on the available data and the known hazards of the components.

11.9 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

SINGLE EXPOSURE: This product is not expected to cause organ damage from a single exposure, based on the available data and the known hazards of the components. This product is not expected to pose an irritation hazard at ambient temperature or under normal handling conditions. Not classified as a respiratory irritant, however if the product is used in confined spaces or environments where there is a potential for the build-up of vapours or mists, these may cause irritation to the respiratory tract and mucous membranes. Note: The product generates small amounts of methanol during the curing process.

11.10 SPECIFIC TARGET ORGAN TOXICITY (STOT) -

REPEATED EXPOSURE: This product is not expected to cause organ damage from prolonged or repeated exposure, based on the available data and the known hazards of the components. There is some data that suggests that the silane component may cause damage to organs (bladder) with Repeated Exposure by ingestion. The ingredient is present at levels of less than 1% and ingestion is an unlikely means of exposure.

SECTION 11 – TOXICOLOGICAL INFORMATION - Continued

11.11 ASPIRATION HAZARD: This product is not expected to be an aspiration hazard, based on the available data and the known hazards of the components. As the product is an adhesive material, aspiration into the lungs may be an issue if vomiting has occurred after ingestion or if stomach irrigation is deemed necessary. As a precaution, if vomiting has occurred after ingestion, the patient should be monitored for adverse effects

11.12 OTHER INFORMATION: No other information is available.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ECOTOXICITY: There is no data available for the product as a whole. Based upon information supplied by the manufacturer, the product has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

12.2 PERSISTENCE & DEGRADABILITY:

No persistence or biodegradability data is available for the product.

12.3 BIOACCUMULATIVE POTENTIAL:

No bioaccumulation data is available for the product.

12.4 MOBILITY IN SOIL: No mobility in soil data is available for the product.

12.5 OTHER ADVERSE EFFECTS:

Do not allow product to enter drains, surface water, sewers or watercourses inform local authorities if this occurs. The product is partially miscible with water. The product does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 DISPOSAL METHODS:

PRODUCT: The product should not be released to the environment, so any unused material should be recycled wherever possible or be disposed of as hazardous waste at an appropriate collection depot. Spilled product that cannot be recovered should be absorbed and then shovelled into a suitable waste container, such as a plastic drum and then be treated as a solid waste. Follow Government regulations for disposal of such waste. All unused, waste or spilled product must be taken for recycling or disposal by suitably licensed contractors in accordance with Government regulations. Do not pour leftover product down the drain.

CONTAINERS: Empty containers may contain residual material. They should be completely drained and then stored until reconditioned or disposed of. Empty containers should be taken for recycling or disposal through suitably licensed contractors in accordance with Government regulations. Empty containers should be recycled wherever possible rather than being sent to landfill or incinerated. If being sent to landfill any residual product must be allowed to dry/cure before disposal.

SECTION 14 – TRANSPORT INFORMATION

This product is not regulated for land, sea or air transportation.

14.1 LAND (ADG Code):

UN NUMBER:	
UN PROPER SHIPPING NAME:	
TRANSPORT HAZARD CLASS(ES):	
PACKAGING GROUP:	
ENVIRONMENTAL HAZARDS:	
SPECIAL PRECAUTIONS FOR USER:	
HAZCHEM CODE:	

14.2 SEA (IMDG):

UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER:

14.3 AIR (IATA):

UN NUMBER: UN PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES): PACKAGING GROUP: ENVIRONMENTAL HAZARDS: SPECIAL PRECAUTIONS FOR USER: Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Not applicable

Not applicable

Not applicable Not applicable

Not applicable

Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Not applicable

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS:

APPLICABLE REGULATIONS: SUSMP: AIIC: MONTREAL PROTOCOL: STOCKHOLM CONVENTION: ROTTERDAM CONVENTION: BASEL CONVENTION: INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS (MARPOL):

Not scheduled. All ingredients are on the AIIC List. Not applicable to this product. Not applicable to this product. Not applicable to this product. Not applicable to this product.

Not determined.

OTHER REGULATORY INFORMATION:

GHS CLASSIFICATION HAZARD CLASS & CATEGORY AND HAZARD STATEMENT:

Flammable Liquid Category 3;	H226 - Flammable liquid and vapour.
Sensitisation - Skin Category 1;	H317 - May cause an allergic skin reaction.
Acute Toxicity - Inhalation Category 4;	H332 - Harmful if inhaled.

SECTION 16 – ANY OTHER RELEVANT INFORMATION

SDS INFORMATI Date of SDS Prep Revision: 0.1	-	16 th August 2021
REVISION CHAN	GES:	Changes to the rating of ingredient in Section 3. Changes to Sections 3, 4, 9, 11, 12, 15 and 16.
ACRONYMS: SUSMP CAS Number EINECS UN Number OSHA ACGIH HSE-WEL EH40 IMDG IATA IUCLID RTECS %W/W OECD ADG Code HAZCHEM Code NOHSC AICIS IMAP AIIC TWA STEL HSNO GHS WHS PPE LD50 LC50 EC50 ECHA REACH HCIS PBT VPVP	Chemical A European Ir United Natio Occupation: American C Health and EH40/2005 Internationa Internationa Internationa Internationa Registry of Percent wei Organisatio Australian C Emergency National Oc Australian Ir Inventory M Australian I Time-Weigh Short Term Hazardous Globally Ha Work Health Personal Pr Median Leth Effective Co exposure fo European C Registratior Hazardous Persistent,	r the Uniform Scheduling of Medicines and Poisons bstracts Service Registry Number nventory of Existing Commercial Chemical Substances ons Number al Safety and Health Administration onference of Governmental Industrial Hygienists Safety Executive - Workplace Exposure Limit Workplace Exposure Limits il Maritime Dangerous Goods al Air Transport Association il Uniform Chemical Information Database Toxic Effects of Chemical Substances ight for weight n for Economic Co-Operation and Development Code for the Transport of Dangerous Goods by Road and Rail action code of numbers and letters which gives information to emergency services rcupational Health and Safety Commission nuturi-Tiered Assessment and Prioritisation nventory of Industrial Chemicals ted Average Exposure Limit Substances and New Organisms Act 1996 rmonised System of Classification and Labelling of Chemicals n and Safety otective Equipment. hal Dose hal Concentration oncentration of a substance that causes 50% of the maximum response after r a nominated time chemical Agency h, Evaluation, Authorisation and Restriction of Chemicals Bioaccumulative and Toxic tent and Very Bioaccumulative
	1 31.9 1 31.010	

LITERATURE REFERENCES AND SOURCES OF DATA:

OECD Guidelines for Testing of Chemicals

Annex I: OECD Test Guidelines for Studies Included in SIDS

Manual for the Assessment of Chemicals Chapter 2 Data Gathering

International Toxicity Testing Guidelines

Hazardous Chemical Information System (HCIS) - Guidance Material for Hazard Classifications

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Model Work Health and Safety Regulations.

Model Work Health and Safety Regulations - Transitional Principles

Workplace Exposure Standards for Airborne Contaminants

Australian Dangerous Goods Code 7th Edition

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]

Guidance on the Classification of Hazardous Chemicals under the WHS Regulations

Assigning a Hazardous Substance to a Group Standard

User Guide to the HSNO Thresholds and Classifications

Summary User Guide to the HSNO Thresholds and Classifications of Hazardous Substances

SECTION 16 – ANY OTHER RELEVANT INFORMATION - Continued

LITERATURE REFERENCES AND SOURCES OF DATA (Continued):

Correlation between GHS and New Zealand HSNO Hazard Classes and Categories

HSNO Control Regulations

Record of Group Standard Assignment

Labelling of Hazardous Substances Hazard and Precautionary Information

Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996

Workplace Exposure Standards and Biological Exposure Indices

ECHA Registration Dossier for Trimethoxyvinylsilane CAS Number 2768-02-7

NICNAS IMAP Human Health Tier II Assessment for Methanol CAS Number: 67-56-1

All information contained in this Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. The information presented here within, is based upon the product information supplied by the manufacturer. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.