

# XCOAT SAFETY DATA SHEET

# EQUISOL®

## 1. IDENTIFICATION

|                             |  |
|-----------------------------|--|
| Product Name                | EQUISOL XCOAT  |
| Other Names                 | NA   |
| Manufacturer's Product Code | XCOAT  |
| Recommended Use             | Floor stripper. Industrial use. For the removal of old paint, failed film coatings and most solvent based finishes from exterior timber, metal, masonry and brick. |
| Supplier                    |  |
| Company                     | Surface Logic Pty Ltd  |
| Address                     | 2/17 Bailey Crescent, Southport, Qld 4215  |
| Phone                       | 1300 966 322   |
| Website                     | equisol.com.au   |
| Business Hours              |  |
| After Hours                 | 0403 477 772   |
| Poisons Information         | Australia 13 11 26 New Zealand 0800 764 766  |

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear Brown **Physical State** Liquid **Odor** Typical

### Classification

|                                      |                           |
|--------------------------------------|---------------------------|
| Acute toxicity - Inhalation (Vapors) | Category 4                |
| Skin corrosion/irritation            | Category 1 Sub-category B |
| Serious eye damage/eye irritation    | Category 1                |
| Corrosive to metals                  | Category 1                |

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**



### Hazard Statements

Harmful if inhaled.  
Causes severe skin burns and eye damage.  
May be corrosive to metals.

### Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Keep only in original container.

### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.  
SPECIFIC TREATMENT: Remove from exposure and treat symptoms.  
IN CASE OF SPILL: Absorb spillage to prevent material damage.

# XCOAT SAFETY DATA SHEET

# EQUISOL®

## Precautionary Statements - Storage

Store locked up.

Store in corrosive container with a resistant inner liner.

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

## Unknown Acute Toxicity

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                     | CAS No     | Weight-% |
|-----------------------------------|------------|----------|
| Ethylene Glycol n-Butyl Ether     | 111-76-2   | 60 -100  |
| Potassium Hydroxide               | 1310-58-3  | 15 - 20  |
| Linear Primary Alcohol Ethoxylate | 68439-46-3 | 1-5      |

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

|                     |  |
|---------------------|--|
| <b>Eye Contact</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. |
| <b>Skin Contact</b> | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.  |
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.   |
| <b>Ingestion</b>    | Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician immediately.  |

### Most Important Symptoms and Effects

|                 |   |
|-----------------|---|
| <b>Symptoms</b> | Causes severe skin burns and eye damage. Prolonged or repeated exposure can remove natural skin oils and may produce irritation. Chronic exposure may cause liver, kidney and/or blood disorders. |
|-----------------|---|

### Indication of any Immediate Medical Attention and Special Treatment Needed

|                           |  |
|---------------------------|--|
| <b>Notes to Physician</b> | Treat symptomatically. May aggravate pre-existing skin disorders and pulmonary diseases. |
|---------------------------|--|

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Water. Foam.

### Unsuitable Extinguishing Media

Not determined.

### Specific Hazards Arising from the Chemical

None known.

**Hazardous Combustion Products**

Normal products of combustion.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

|                                  |  |
|----------------------------------|--|
| <b>Personal Precautions</b>      | Wear protective clothing as described in Section 8 of this safety data sheet.  |
| <b>Environmental Precautions</b> | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13, Disposal Considerations, for additional information. See Section 12 for additional Ecological Information. |

**Methods and Material for Containment and Cleaning Up**

|                                |  |
|--------------------------------|--|
| <b>Methods for Containment</b> | Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.                      |
| <b>Methods for Clean-Up</b>    | Contain and collect with an inert absorbent and place into an appropriate container for disposal. Dilute remaining residue with water. |

**7. HANDLING AND STORAGE****Precautions for safe handling**

|                                |   |
|--------------------------------|---|
| <b>Advice on Safe Handling</b> | Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. For industrial and commercial use only. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Take off all contaminated clothing and wash before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. |
|--------------------------------|---|

**Conditions for safe storage, including any incompatibilities**

|                               |  |
|-------------------------------|--|
| <b>Storage Conditions</b>     | Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from freezing. Keep out of the reach of children. Store locked up. |
| <b>Incompatible Materials</b> | Acids. Oxidizing agents. Uncontrolled contact with water.  |

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

| Chemical Name                             | ACGIH TLV                    | OSHA PEL   | NIOSH IDLH   |
|---|------------------------------|--|--|
| Ethylene Glycol n-Butyl Ether<br>111-76-2 | TWA: 20 ppm                  | TWA: 50 ppm TWA: 240 mg/m <sup>3</sup><br>(vacated) TWA: 25 ppm<br>(vacated) TWA: 120 mg/m <sup>3</sup><br>(vacated) S* S* | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m <sup>3</sup> |
| Potassium Hydroxide<br>1310-58-3          | Ceiling: 2 mg/m <sup>3</sup> | (vacated) Ceiling: 2 mg/m <sup>3</sup>   | Ceiling: 2 mg/m <sup>3</sup>                             |

**Appropriate Engineering Controls**

|                             |  |
|-----------------------------|--|
| <b>Engineering Controls</b> | Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. Eyewash stations. Showers. |
|-----------------------------|--|

**Individual Protection Measures, such as Personal Protective Equipment**

|                                       |  |
|---------------------------------------|--|
| <b>Eye/Face Protection</b>            | Use chemical splash goggles or glasses as necessary to prevent contact.  |
| <b>Skin and Body Protection</b>       | Protective chemical impervious gloves of butyl rubber, nitrile rubber or PVC, chemical resistant suit and boots.   |
| <b>Respiratory Protection</b>         | Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.  |
| <b>General Hygiene Considerations</b> | Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse. |

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

|                       |           |                       |                |
|-----------------------|-----------|-----------------------|----------------|
| <b>Physical State</b> | Liquid    | <b>Odor</b>           | None           |
| <b>Appearance</b>     | Clear     | <b>Odor Threshold</b> | Not determined |
| <b>Color</b>          | Colorless |                       |                |

| <b><u>Property</u></b>       | <b><u>Values</u></b>  | <b><u>Remarks • Method</u></b> |
|------------------------------|-----------------------|--------------------------------|
| pH                           | 13.5-14.0             |                                |
| Melting Point/Freezing Point | Not known             |                                |
| Boiling Point/Boiling Range  | ~ 101 °C / ~214 °F    |                                |
| Flash Point                  | Not applicable        |                                |
| Evaporation Rate             | Not determined        |                                |
| Flammability (Solid, Gas)    | Liquid-not applicable |                                |
| Upper Flammability Limits    | Not applicable        |                                |
| Lower Flammability Limit     | Not applicable        |                                |
| Vapor Pressure               | Not determined        |                                |
| Vapor Density                | Not determined        |                                |
| Specific Gravity             | 1.07                  |                                |
| Water Solubility             | Completely soluble    | @ 25 °C (77 °F)                |
| Solubility in other solvents | Not determined        |                                |
| Partition Coefficient        | Not determined        |                                |
| Auto-ignition Temperature    | Not determined        |                                |
| Decomposition Temperature    | Not determined        |                                |
| Kinematic Viscosity          | Not determined        |                                |
| Dynamic Viscosity            | Not determined        |                                |
| Explosive Properties         | Not determined        |                                |
| Oxidizing Properties         | Not determined        |                                |

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

**Incompatible Materials**

Acids. Oxidizing agents. Uncontrolled contact with water.

**Individual Protection Measures, such as Personal Protective Equipment**

|                                       |  |
|---------------------------------------|--|
| <b>Eye/Face Protection</b>            | Use chemical splash goggles or glasses as necessary to prevent contact.  |
| <b>Skin and Body Protection</b>       | Protective chemical impervious gloves of butyl rubber, nitrile rubber or PVC, chemical resistant suit and boots.   |
| <b>Respiratory Protection</b>         | Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.  |
| <b>General Hygiene Considerations</b> | Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse. |

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

|                       |           |                       |                |
|-----------------------|-----------|-----------------------|----------------|
| <b>Physical State</b> | Liquid    | <b>Odor</b>           | None           |
| <b>Appearance</b>     | Clear     | <b>Odor Threshold</b> | Not determined |
| <b>Color</b>          | Colorless |                       |                |

| <b><u>Property</u></b>       | <b><u>Values</u></b>  | <b><u>Remarks • Method</u></b> |
|------------------------------|-----------------------|--------------------------------|
| pH                           | 13.5-14.0             |                                |
| Melting Point/Freezing Point | Not known             |                                |
| Boiling Point/Boiling Range  | ~ 101 °C / ~214 °F    |                                |
| Flash Point                  | Not applicable        |                                |
| Evaporation Rate             | Not determined        |                                |
| Flammability (Solid, Gas)    | Liquid-not applicable |                                |
| Upper Flammability Limits    | Not applicable        |                                |
| Lower Flammability Limit     | Not applicable        |                                |
| Vapor Pressure               | Not determined        |                                |
| Vapor Density                | Not determined        |                                |
| Specific Gravity             | 1.07                  |                                |
| Water Solubility             | Completely soluble    | @ 25 °C (77 °F)                |
| Solubility in other solvents | Not determined        |                                |
| Partition Coefficient        | Not determined        |                                |
| Auto-ignition Temperature    | Not determined        |                                |
| Decomposition Temperature    | Not determined        |                                |
| Kinematic Viscosity          | Not determined        |                                |
| Dynamic Viscosity            | Not determined        |                                |
| Explosive Properties         | Not determined        |                                |
| Oxidizing Properties         | Not determined        |                                |

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization**

Hazardous polymerization does not occur.

**Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

**Incompatible Materials**

Acids. Oxidizing agents. Uncontrolled contact with water.

**Hazardous Decomposition Products**

Normal products of combustion.

**11. TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure****Product Information****Eye Contact** Causes severe eye damage.**Skin Contact** Causes severe skin burns.**Inhalation** Harmful if inhaled.**Ingestion** May be harmful if swallowed.**Component Information**

| Chemical Name                                   | Oral LD50           | Dermal LD50                         | Inhalation LC50                                  |
|---|---------------------|-------------------------------------|--|
| Ethylene Glycol n-Butyl Ether<br>111-76-2       | = 470 mg/kg ( Rat ) | = 2270 mg/kg ( Rat )<br>= 220 mg/kg | = 2.21 mg/L ( Rat ) 4 h<br>= 450 ppm ( Rat ) 4 h |
| Potassium Hydroxide<br>1310-58-3                | = 214 mg/kg ( Rat ) | -                                   | -  |
| Linear Primary Alcohol Ethoxylate<br>68439-46-3 | = 1400 mg/kg (Rat)  | > 5000 mg/kg (Rabbit)               | -  |

**Information on Physical, Chemical and Toxicological Effects****Symptoms** Please see section 4 of this SDS for symptoms.**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical Name                             | ACGIH | IARC    | NTP | OSHA |
|---|-------|---------|-----|------|
| Ethylene Glycol n-Butyl Ether<br>111-76-2 | A3    | Group 3 |     |      |

*ACGIH (American Conference of Governmental Industrial Hygienists)**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"***Chronic Toxicity**

Chronic exposure may cause liver, kidney and/or blood disorders.

**Numerical Measures of Toxicity**

Not determined

**Unknown Acute Toxicity**

None known.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# XCOAT SAFETY DATA SHEET

**EQUISOL®**

## Component Information

| Chemical Name                                   | Algae/aquatic plants   | Fish   | Toxicity to microorganisms | Crustacea  |
|---|------------------------|--|----------------------------|--|
| Ethylene Glycol n-Butyl Ether<br>111-76-2       | -                      | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | -                          | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Potassium Hydroxide<br>1310-58-3                | -                      | 80: 96 h Gambusia affinis mg/L LC50 static   | -                          | -  |
| Linear Primary Alcohol Ethoxylate<br>68439-46-3 | EC50: 0.95mg/L (Algae) | 6mg/L (96hr) Pimephales promelas (Fathead minnow)  | -                          | 2.5mg/L (48hr) Daphnia magna   |

## Persistence/Degradability

Not determined

## Bioaccumulation

Not determined

## Mobility

| Chemical Name                             | Partition Coefficient |
|---|-----------------------|
| Ethylene Glycol n-Butyl Ether<br>111-76-2 | 0.81                  |
| Potassium Hydroxide<br>1310-58-3          | 0.83                  |

## Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### California Hazardous Waste Status

| Chemical Name                    | California Hazardous Waste Status |
|----------------------------------|-----------------------------------|
| Potassium Hydroxide<br>1310-58-3 | Toxic<br>Corrosive                |

## 14. TRANSPORT INFORMATION

### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

### DOT

#### UN/ID No

UN1760, Corrosive Liquid, NOS (Containing Potassium Hydroxide), 8, PG II

## 15. REGULATORY INFORMATION

### International Inventories

Canada – Domestic Substances List (DSL)  
TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.  
All ingredients are listed or exempt.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

# XCOAT SAFETY DATA SHEET

# EQUISOL®

## US Federal Regulations

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name                    | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                  |
|----------------------------------|--------------------------|----------------|---|
| Potassium Hydroxide<br>1310-58-3 | 1000 lb                  |                | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |

### SARA 311/312 Hazard Categories

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | No  |
| Sudden Release of Pressure Hazard | No  |
| Reactive Hazard                   | Yes |

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                 | CAS No   | Weight-% | SARA 313 - Threshold Values % |
|-------------------------------|----------|----------|-------------------------------|
| Ethylene Glycol n-Butyl Ether | 111-76-2 | 10-30    | 1.0                           |

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Component                        | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Potassium Hydroxide<br>1310-58-3 | 1000 lb                     |                        |                           | X                          |

## 16. OTHER INFORMATION

### NFPA

#### Health Hazards

Not determined

#### Flammability

Not determined

#### Instability

Not determined

#### Special Hazards

Not determined

### HMIS

#### Health Hazards

3

#### Flammability

0

#### Physical Hazards

0

#### Personal Protection

Not determined

Issue Date

03-Oct-2021

Revision/Review Date:

05-Jul-2023

Revision Note

Version 1.1 Updated Section 15

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

End of Safety Data Sheet